

SECTION 4 – PHYSICAL HAZARDS

STABILITY UNSTABLE
 STABLE

CONDITIONS TO AVOID: Contact with incompatibles.

INCOMPATIBILITY (materials to avoid): Oxidizing and reducing agents, strong acids, and nitrites.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide, ammonia, nitrogen compounds, aldehydes, and ketones.

HAZARDOUS POLYMERIZATION MAY OCCUR WILL NOT OCCUR

SECTION 5 – HEALTH HAZARDS

THRESHOLD LIMIT VALUE: Not determined for mixture

PRIMARY ROUTE OF ENTRY: EYE DERMAL INHALATION INGESTION

SIGNS AND SYMPTOMS OF EXPOSURE

1. Acute Overexposure: Contact with eyes and skin may cause irritation.
2. Chronic Overexposure: Prolonged and repeated contact may cause dermatitis.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: None known

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN

1. National Toxicology Program: Yes No
2. I.A.R.C. Monographs: Yes No
3. OSHA: Yes No

OSHA PERMISSIBLE EXPOSURE LIMIT: Not determined for mixture.

ACGIH THRESHOLD LIMIT VALUE: Not determined for mixture.

OTHER EXPOSURE LIMIT USED: None

EMERGENCY AND FIRST AID PROCEDURES

1. INHALATION: Remove from overexposure to fresh air. If breathing is difficult or discomfort occurs, obtain medical attention.
2. EYES: Flush immediately with large amounts of water for at least 15 minutes occasionally lifting lids. Get medical attention, if irritation persists.
3. SKIN: Wash with running water until skin is free from soapiness. Wash contaminated clothing before reuse. If irritation persists, get medical attention.
4. INGESTION: Drink 1 to 2 glasses of water or milk. DO NOT induce vomiting. Seek immediate medical attention.

SECTION 6 – SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: Wear respiratory protection above TLV limits.

VENTILATION

LOCAL EXHAUST: Usually adequate

MECHANICAL (GENERAL): If needed.

SPECIAL: None

OTHER: None

PROTECTIVE GLOVES: Neoprene

EYE PROTECTION: Goggles

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Rubber boots and apron if contact likely.

SECTION 7 – SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Do not get in eyes, on skin or clothing. Wash thoroughly after handling. Store in cool area out of direct sunlight and away from heat, sparks, and open flames.

OTHER PRECAUTIONS: Do not use pressure to empty container, as it is not a pressure vessel. **KEEP OUT OF REACH OF CHILDREN!** Do not cut or weld on empty container.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: In case of spillage, absorb on mineral clay absorbent material and shovel into container for disposal.

WASTE DISPOSAL METHODS: Dispose of in accordance with federal, state, and local regulations.